

NRC Supplementary Information for General Licensees of TSI Neutralizers

Models 3012, 3012A Aerosol Neutralizers

Models 3054, 3054A Aerosol Neutralizers

Models 3077, 3077A Aerosol Neutralizers

P/N 1930034, Revision B
March 2009



TRUST. SCIENCE. INNOVATION.

NRC Supplementary Information for General Licensees of TSI Neutralizers

Models 3012, 3012A Aerosol Neutralizers
Models 3054, 3054A Aerosol Neutralizers
Models 3077, 3077A Aerosol Neutralizers

Important	An above listed Model Aerosol Neutralizer has been supplied to you under United States Nuclear Regulatory Commission General License No. 22-12602-03G issued to TSI Incorporated. Your receipt of the neutralizer automatically makes you a “General Licensee” under the license. Your purchase of the Aerosol Neutralizer has been reported to the NRC as required by the license. You are required to read and comply with the applicable requirements in the enclosed NRC regulations.
------------------	--

The aerosol neutralizers listed above contain radioactive material in the form of Krypton-85 gas. In the United States the possession and use of radioactive materials falls under the regulatory authority of the U.S. Nuclear Regulatory Commission (NRC) at the federal level, or of a regulatory agency in your state. This depends on whether your state has entered into an agreement with the NRC for the purpose of controlling the use of radioactive material within the state. The states that appear on the list enclosed have their own control programs and are therefore called Agreement States. If your state is not on the list, your possession and use of the aerosol neutralizer is regulated by the NRC. The NRC divides itself into four regions across the United States (see Part 20, Appendix D enclosed).

You must be licensed to have the device in your possession. As stated above, receipt of the neutralizer automatically makes you a general licensee under NRC – Agreement State terminology. CFR regulations and Agreement States Points of Contact are available at web site <http://www.nrc.gov/>.

As a new general licensee you must adhere to the following requirements:

1. YOU MUST BE SUPPLIED WITH A COPY OF 10 CFR 30.51, 31.2, 31.5, 20.2201, AND 20.2202. SEE ENCLOSED. CURRENT REGULATIONS MAY BE ACCESSED AT <http://www.nrc.gov/>.
2. YOU ARE REQUIRED TO APPOINT A RESPONSIBLE INDIVIDUAL WHO WILL KNOW ABOUT THE REQUIREMENTS AND HAVE THE AUTHORITY TO CARRY OUT THE NECESSARY DUTIES TO COMPLY WITH THE REGULATORY REQUIREMENTS.
3. YOU MUST MAINTAIN THE DEVICE LABEL IN LEGIBLE CONDITION, SECURELY ATTACHED TO THE DEVICE AT ALL TIMES.
4. THE DEVICE SHALL NOT BE TRANSFERRED TO ANOTHER LOCATION, PERSON OR COMPANY.

5. YOU MUST RETAIN ACCURATE RECORDS OF THE RECEIPT AND DISPOSAL OF EACH DEVICE IN YOUR POSSESSION FOR A MINIMUM PERIOD OF THREE YEARS AFTER THE DEVICE IS RETURNED OR DISPOSED.
6. THE DEVICE SHOULD NOT BE ABANDONED OR DISPOSED OF EXCEPT BY RETURN TO:

RADIOACTIVE NEUTRALIZER RETURN
TSI INCORPORATED
500 CARDIGAN ROAD
SHOREVIEW, MN 55126-3996

FOR RETURN INFORMATION CALL TSI INCORPORATED AT: TEL# 651-483-0900
FAX# 651-490-3860.

7. YOU MUST NOTIFY THE NRC WITHIN 30 DAYS OF TRANSFER OR DISPOSAL OF THE DEVICE OR A CHANGE OF COMPANY NAME OR ADDRESS. SEE 10 CFR 31.5 (C)(8), (C)(9) AND (C)(14).
- 8. IT IS THE POLICY OF THE NRC TO ISSUE HIGH CIVIL PENALTIES FOR LOSS, ABANDONMENT OR IMPROPER DISPOSAL.**
9. IN THE EVENT THAT A DEVICE BECOMES DAMAGED, LOST, OR STOLEN, NOTIFY TSI INCORPORATED AT 651-483-0900 IMMEDIATELY. YOU WILL BE ADVISED AS TO REPORTING REQUIREMENTS, IF NECESSARY.
10. CORROSIVE MATERIALS CAN DEGRADE THE INTEGRITY OF THE UNIT. DO NOT USE CHEMICALS THAT CORRODE 303, 304, OR 316 STAINLESS STEEL, COPPER, SILVER BRAZE, OR EPOXY.
11. IN THE EVENT OF A LEAK, THE AREA CONTAINING THE DEVICE SHOULD BE IMMEDIATELY VENTILATED. BECAUSE KRYPTON-85 IS A GAS THERE IS NO CONTAMINATION THREAT ASSOCIATED WITH KRYPTON-85.
12. SOME AGREEMENT STATES REQUIRE THAT THE INITIAL RECEIPT OF A DEVICE BE REPORTED BY THE GENERAL LICENSEE TO THE APPROPRIATE AGENCY IN THAT STATE. CHECK THE AGREEMENT STATE LIST TO SEE IF YOU ARE UNDER NRC OR AGREEMENT STATE REGULATION.
13. THE CODE OF FEDERAL REGULATIONS IS UPDATED FREQUENTLY. ALSO, MOST STATES ARE ELECTING TO BECOME AGREEMENT STATES. CHECK THE NRC WEBSITE FOR 10 CFR UPDATES AND FOR CHANGES IN AGREEMENT STATES STATUS.

RECEIPT AND DISPOSAL RECORD

DEVICE		RECEIVED DATE	DATE OF RETURN TO TSI FOR DISPOSAL
MODEL NO.	SERIAL NO.		

This is your permanent record. It should be recorded in ink.

§30.51 Records.

(a) Each person who receives byproduct material pursuant to a license issued pursuant to the regulations in this part and parts 31 through 36 of this chapter shall keep records showing the receipt, transfer, and disposal of the byproduct material as follows:

(1) The licensee shall retain each record of receipt of byproduct material as long as the material is possessed and for three years following transfer or disposal of the material.

(2) The licensee who transferred the material shall retain each record of transfer for three years after each transfer unless a specific requirement in another part of the regulations in this chapter dictates otherwise.

(3) The licensee who disposed of the material shall retain each record of disposal of byproduct material until the Commission terminates each license that authorizes disposal of the material.

(b) The licensee shall retain each record that is required by the regulations in this part and parts 31 through 36 of this chapter or by license condition for the period specified by the appropriate regulation or license condition. If a retention period is not otherwise specified by regulation or license condition, the record must be retained until the Commission terminates each license that authorizes the activity that is subject to the record-keeping requirement.

(c)(1) Records, which must be maintained pursuant to this part and parts 31 through 36 of this chapter, may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

(2) If there is a conflict between the Commission's regulations in this part and parts 31 through 36 and 39 of this chapter, license condition, or other written Commission approval or authorization pertaining to the retention period for the same type of record, the retention period specified in the regulations in this part and parts 31 through 36 and 39 of this chapter for such records shall apply unless the Commission, pursuant to §30.11, has granted a specific exemption from the record retention requirements specified in the regulations in this part or parts 31 through 36 and 39 of this chapter.

(d) Prior to license termination, each licensee authorized to possess radioactive material with a half-life greater than 120 days, in an unsealed form, shall forward the following records to the appropriate NRC Regional Office:

(1) Records of disposal of licensed material made under §§20.2002 (including burials authorized before January 28, 1981^(u)), 20.2003, 20.2004, 20.2005; and

(2) Records required by §20.2103(b)(4).

(e) If licensed activities are transferred or assigned in accordance with §30.34(b), each licensee authorized to possess radioactive material, with a half-life greater than 120 days, in an unsealed form, shall transfer the following records to the new licensee and the new licensee will be responsible for maintaining these records until the license is terminated:

(1) Records of disposal of licensed material made under §§20.2002 (including burials authorized before January 28, 1981), 20.2003, 20.2004, 20.2005; and

(2) Records required by §20.2103(b)(4).

(f) Prior to license termination, each licensee shall forward the records required by §30.35(g) to the appropriate NRC Regional Office.

[41 FR 18301, May 5, 1976, as amended at 43 FR 6922, Feb. 17, 1978; 52 FR 8241, Mar. 17, 1987; 53 FR 19245, May 27, 1988; 58 FR 7736, Feb. 9, 1993; 61 FR 24673, May, 16, 1996]

¹A previous §20.304 permitted burial of small quantities of licensed materials in soil before January 28, 1981, without specific Commission authorization. See §20.304 contained in the 10 CFR, parts 0 to 199, edition revised as of January 1, 1981.

§31.2 Terms and conditions.

The general licenses provided in this part are subject to the general provisions of Part 30 of this chapter (Secs. 30.1 through 30.10), the provisions of Secs. 30.14(d), 30.34(a) to (e), 30.41, 30.50 to 30.53, 30.61 to 30.63, and Parts 19,20, and 21, of this chapter ¹ unless indicated otherwise in the specific provision of the general license.

¹ Attention is directed particularly to the provisions of Part 20 of this chapter concerning labeling of containers.

§31.5 Certain detecting, measuring, gauging, or controlling devices and certain devices for producing light or an ionized atmosphere.⁽²⁾

(a) A general license is hereby issued to commercial and industrial firms and research, educational and medical institutions, individuals in the conduct of their business, and Federal, State or local government agencies to acquire, receive, possess, use or transfer, in accordance with the provisions of paragraphs (b), (c) and (d) of this section, byproduct material contained in devices designed and manufactured for the purpose of detecting, measuring, gauging or controlling thickness, density, level, interface location, radiation, leakage, or qualitative or quantitative chemical composition, or for producing light or an ionized atmosphere.

(b)(1) The general license in paragraph (a) of this section applies only to byproduct material contained in devices which have been manufactured or initially transferred and labeled in accordance with the specifications contained in--

(i) A specific license issued under Sec. 32.51 of this chapter; or

(ii) An equivalent specific license issued by an Agreement State.

(2) The devices must have been received from one of the specific licensees described in paragraph (b)(1) of this section or through a transfer made under paragraph (c)(9) of this section.

(c) Any person who acquires, receives, possesses, uses or transfers byproduct material in a device pursuant to the general license in paragraph (a) of this section:

(1) Shall assure that all labels affixed to the device at the time of receipt and bearing a statement that removal of the label is prohibited are maintained thereon and shall comply with all instructions and precautions provided by such labels;

(2) Shall assure that the device is tested for leakage of radioactive material and proper operation of the on-off mechanism and indicator, if any, at no longer than six-month intervals or at such other intervals as are specified in the label; however:

(i) Devices containing only krypton need not be tested for leakage of radioactive material, and

(ii) Devices containing only tritium or not more than 100 microcuries of other beta and/or gamma emitting material or 10 microcuries of alpha emitting material and devices held in storage in the original shipping container prior to initial installation need not be tested for any purpose;

(3) Shall assure that the tests required by paragraph (c)(2) of this section and other testing, installation, servicing, and removal from installation involving the radioactive materials, its shielding or containment, are performed:

(i) In accordance with the instructions provided by the labels; or

(ii) By a person holding a specific license pursuant to parts 30 and 32 of this chapter or from an Agreement State to perform such activities;

(4) Shall maintain records showing compliance with the requirements of paragraphs (c)(2) and (c)(3) of this section. The records must show the results of tests. The records also must show the dates of performance of, and the names of persons performing, testing, installing, servicing, and removing from the installation radioactive material and its shielding or containment. The licensee shall retain these records as follows:

(i) Each record of a test for leakage or radioactive material required by paragraph (c)(2) of this section must be retained for three years after the next required leak test is performed or until the sealed source is transferred or disposed of.

(ii) Each record of a test of the on-off mechanism and indicator required by paragraph (c)(2) of this section must be retained for three years after the next required test of the on-off mechanism and indicator is performed or until the sealed source is transferred or disposed of.

(iii) Each record that is required by paragraph (c)(3) of this section must be retained for three years from the date of the recorded event or until the device is transferred or disposed of.

(5) Shall immediately suspend operation of the device if there is a failure of, or damage to, or any indication of a possible failure of or damage to, the shielding of the radioactive material or the on-off mechanism or indicator, or upon the detection of 185 bequerel (0.005 microcurie) or more removable radioactive material. The device may not be operated until it has been repaired by the manufacturer or other person holding a specific license to repair such devices that was issued under parts 30 and 32 of this chapter or by an Agreement State. The device and any radioactive material from the device may only be disposed of by transfer to a person authorized by a specific license to receive the byproduct material in the device or as otherwise approved by the Commission. A report containing a brief description of the event and the remedial action taken; and, in the case of detection of 0.005 microcurie or more removable radioactive material or failure of or damage to a source likely

to result in contamination of the premises or the environs, a plan for ensuring that the premises and environs are acceptable for unrestricted use, must be furnished to the Director of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 within 30 days. Under these circumstances, the criteria set out in Sec. 20.1402, "Radiological criteria for unrestricted use," may be applicable, as determined by the Commission on a case-by-case basis;

(6) Shall not abandon the device containing byproduct material;

(7) Shall not export the device containing byproduct material except in accordance with part 110 of this chapter;

(8)(i) Shall transfer or dispose of the device containing byproduct material only by export as provided by paragraph (c)(7) of this section, by transfer to another general licensee as authorized in paragraph (c)(9) of this section, or to a person authorized to receive the device by a specific license issued under parts 30 and 32 of this chapter, or part 30 of this chapter that authorizes waste collection, or equivalent regulations of an Agreement State, or as otherwise approved under paragraph (c)(8)(iii) of this section.

(ii) Shall furnish a report to the Director of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 within 30 days after the transfer of a device to a specific licensee or export. The report must contain--

(A) The identification of the device by manufacturer's (or initial transferor's) name, model number, and serial number;

(B) The name, address, and license number of the person receiving the device (license number not applicable if exported); and

(C) The date of the transfer.

(iii) Shall obtain written NRC approval before transferring the device to any other specific licensee not specifically identified in paragraph (c)(8)(i) of this section.

(9) Shall transfer the device to another general licensee only if--

(i) The device remains in use at a particular location. In this case, the transferor shall give the transferee a copy of this section, a copy of Secs. 31.2, 30.51, 20.2201, and 20.2202 of this chapter, and any safety documents identified in the label of the device. Within 30 days of the transfer, the transferor shall report to the Director of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001--

(A) The manufacturer's (or initial transferor's) name;

(B) The model number and the serial number of the device transferred;

(C) The transferee's name and mailing address for the location of use; and

(D) The name, title, and phone number of the responsible individual identified by the transferee in accordance with paragraph (c)(12) of this section to have knowledge of and authority to take actions to ensure compliance with the appropriate regulations and requirements; or

(ii) The device is held in storage by an intermediate person in the original shipping container at its intended location of use prior to initial use by a general licensee.

(10) Shall comply with the provisions of §§20.2201, and 20.2202 of this chapter for reporting radiation incidents, theft or loss of licensed material, but shall be exempt from the other requirements of parts 19, 20, and 21, of this chapter.

(11) Shall respond to written requests from the Nuclear Regulatory Commission to provide information relating to the general license within 30 calendar days of the date of the request, or other time specified in the request. If the general licensee cannot provide the requested information within the allotted time, it shall, within that same time period, request a longer period to supply the information by submitting a letter to the Director, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 and provide written justification as to why it cannot comply.

(12) Shall appoint an individual responsible for having knowledge of the appropriate regulations and requirements and the authority for taking required actions to comply with appropriate regulations and requirements. The general licensee, through this individual, shall ensure the day-to-day compliance with appropriate regulations and requirements. This appointment does not relieve the general licensee of any of its responsibility in this regard.

(13)(i) Shall register, in accordance with paragraphs (c)(13)(ii) and (iii) of this section, devices containing at least 370 MBq (10 mCi) of cesium-137, 3.7 MBq (0.1 mCi) of strontium-90, 37 MBq (1 mCi) of cobalt-60, or 37 MBq (1 mCi) of americium-241 or any other transuranic (i.e., element with atomic number greater than uranium (92)), based on the activity indicated on the label. Each address for a location of use, as described under paragraph (c)(13)(iii)(D) of this section, represents a separate general licensee and requires a separate registration and fee.

(ii) If in possession of a device meeting the criteria of paragraph (c)(13)(i) of this section, shall register these devices annually with the Commission and shall pay the fee required by Sec. 170.31 of this chapter. Registration must be done by verifying, correcting, and/or adding to the information provided in a request for registration received from the Commission. The registration information must be submitted to the NRC within 30 days of the date of the request for registration or as otherwise indicated in the request. In addition, a general licensee holding devices meeting the criteria of paragraph (c)(13)(i) of this section is subject to the bankruptcy notification requirement in Sec. 30.34(h) of this chapter.

(iii) In registering devices, the general licensee shall furnish the following information and any other information specifically requested by the Commission--

(A) Name and mailing address of the general licensee.

(B) Information about each device: the manufacturer (or initial transferor), model number, serial number, the radioisotope and activity (as indicated on the label).

(C) Name, title, and telephone number of the responsible person designated as a representative of the general licensee under paragraph (c)(12) of this section.

(D) Address or location at which the device(s) are used and/or stored. For portable devices, the address of the primary place of storage.

(E) Certification by the responsible representative of the general licensee that the information concerning the device(s) has been verified through a physical inventory and checking of label information.

(F) Certification by the responsible representative of the general licensee that they are aware of the requirements of the general license.

(iv) Persons generally licensed by an Agreement State with respect to devices meeting the criteria in paragraph (c)(13)(i) of this section are not subject to registration requirements if the devices are used in areas subject to NRC jurisdiction for a period less than 180 days in any calendar year. The Commission will not request registration information from such licensees.

(14) Shall report changes to the mailing address for the location of use (including change in name of general licensee) to the Director of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 within 30 days of the effective date of the change. For a portable device, a report of address change is only required for a change in the device's primary place of storage.

(15) May not hold devices that are not in use for longer than 2 years. If devices with shutters are not being used, the shutter must be locked in the closed position. The testing required by paragraph (c)(2) of this section need not be performed during the period of storage only. However, when devices are put back into service or transferred to another person, and have not been tested within the required test interval, they must be tested for leakage before use or transfer and the shutter tested before use. Devices kept in standby for future use are excluded from the two-year time limit if the general licensee performs quarterly physical inventories of these devices while they are in standby.

(d) The general license in paragraph (a) of this section does not authorize the manufacture or import of devices containing byproduct material.

²Persons possessing byproduct material in devices under a general license in Sec. 31.5 before January 15, 1975, may continue to possess, use, or transfer that material in accordance with the labeling requirements of Sec. 31.5 in effect on January 14, 1975.

§20.2201 Reports of theft or loss of licensed material.

(a) Telephone reports. (1) Each licensee shall report by telephone as follows:

(i) Immediately after its occurrence becomes known to the licensee, any lost, stolen, or missing licensed material in an aggregate quantity equal to or greater than 1,000 times the quantity specified in appendix C to part 20 under such circumstances that it appears to the licensee that an exposure could result to persons in unrestricted areas; or

(ii) Within 30 days after the occurrence of any lost, stolen, or missing licensed material becomes known to the licensee, all licensed material in a quantity greater than 10 times the quantity specified in appendix C to part 20 that is still missing at this time.

(2) Reports must be made as follows:

(i) Licensees having an installed Emergency Notification System shall make the reports to the NRC Operations Center in accordance with §50.72 of this chapter, and

(ii) All other licensees shall make reports by telephone to the NRC Operations Center (301 - 951 - 0550).

(b) *Written reports.* (1) Each licensee required to make a report under paragraph (a) of this section shall, within 30 days after making the telephone report, make a written report setting forth the following information:

(i) A description of the licensed material involved, including kind, quantity, and chemical and physical form; and

(ii) A description of the circumstances under which the loss or theft occurred; and

(iii) A statement of disposition, or probable disposition, of the licensed material involved; and

(iv) Exposures of individuals to radiation, circumstances under which the exposures occurred, and the possible total effective dose equivalent to persons in unrestricted areas; and

(v) Actions that have been taken, or will be taken, to recover the material; and

(vi) Procedures or measures that have been, or will be, adopted to ensure against a recurrence of the loss or theft of licensed material.

(2) Reports must be made as follows:

(i) For holders of an operating license for a nuclear power plant, the events included in paragraph (b) of this section must be reported in accordance with the procedures described in §50.73(b), (c), (d), (e), and (g) of this chapter and must include the information required in paragraph (b)(1) of this section, and

(ii) All other licensees shall make reports to the Administrator of the appropriate NRC Regional Office listed in appendix D to part 20.

(c) A duplicate report is not required under paragraph (b) of this section if the licensee is also required to submit a report pursuant to §§30.55(c), 40.64(c), 50.72, 50.73, 70.52, 73.27(b), 73.67(e)(3)(vi), 73.67(g)(3)(iii), 73.71, or §150.19(c) of this chapter.

(d) Subsequent to filing the written report, the licensee shall also report any additional substantive information on the loss or theft within 30 days after the licensee learns of such information.

(e) The licensee shall prepare any report filed with the Commission pursuant to this section so that names of individuals who may have received exposure to radiation are stated in a separate and detachable part of the report.

§20.2202 Notification of incidents.

(a) Immediate notification. Notwithstanding any other requirements for notification, each licensee shall immediately report any event involving byproduct, source, or special nuclear material possessed by the licensee that may have caused or threatens to cause any of the following conditions --

(1) An individual to receive --

(i) A total effective dose equivalent of 25 rems (0.25 Sv) or more; or

(ii) A lens dose equivalent of 75 rems (0.75 Sv) or more; or

(iii) A shallow-dose equivalent to the skin or extremities of 250 rads (2.5 Gy) or more; or

(2) The release of radioactive material, inside or outside of a restricted area, so that, had an individual been present for 24 hours, the individual could have received an intake five times the annual limit on intake (the provisions of this paragraph do not apply to locations where personnel are not normally stationed during routine operations, such as hot-cells or process enclosures).

(b) Twenty-four hour notification. Each licensee shall, within 24 hours of discovery of the event, report any event involving loss of control of licensed material possessed by the licensee that may have caused, or threatens to cause, any of the following conditions:

(1) An individual to receive, in a period of 24 hours --

(i) A total effective dose equivalent exceeding 5 rems (0.05 Sv); or

(ii) A lens dose equivalent exceeding 15 rems (0.15 Sv); or

(iii) A shallow-dose equivalent to the skin or extremities exceeding 50 rems (0.5 Sv); or

(2) The release of radioactive material, inside or outside of a restricted area, so that, had an individual been present for 24 hours, the individual could have received an intake in excess of one occupational annual limit on intake (the provisions of this paragraph do not apply to locations where personnel are not normally stationed during routine operations, such as hot-cells or process enclosures).

(c) The licensee shall prepare any report filed with the Commission pursuant to this section so that names of individuals who have received exposure to radiation or radioactive material are stated in a separate and detachable part of the report.

(d) Reports made by licensees in response to the requirements of this section must be made as follows:

(1) Licensees having an installed Emergency Notification System shall make the reports required by paragraphs (a) and (b) of this section to the NRC Operations Center in accordance with 10 CFR 50.72; and

(2) All other licensees shall make the reports required by paragraphs (a) and (b) of this section by telephone to the NRC Operations Center (301) 816-5100.

(e) The provisions of this section do not include doses that result from planned special exposures, that are within the limits for planned special exposures, and that are reported under §20.2204.

Appendix D to Part 20 -- United States Nuclear Regulatory Commission Regional Offices

	Address	Telephone (24 hour)
<p style="text-align: center;">Region I:</p> <p>Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont.</p>	<p>USNRC, Region I 475 Allendale Road King of Prussia, PA 19406.</p>	<p>(610) 337-5000, (FTS) 346-5000.</p>
<p style="text-align: center;">Region II:</p> <p>Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, Puerto Rico, South Carolina, Tennessee, Virginia, Virgin Islands, and West Virginia.</p>	<p>USNRC, Region II Atlanta Federal Center 61 Forsyth Street, SW., Suite 23T85 Atlanta, GA 30303.</p>	<p>(404) 562-4400, (FTS) 841-4503.</p>
<p style="text-align: center;">Region III:</p> <p>Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin.</p>	<p>USNRC, Region III 801 Warrenville Road Lisle, IL 60532-4351.</p>	<p>(708) 829-9500, (FTS) 829-9500.</p>
<p style="text-align: center;">Region IV:</p> <p>Alaska, Arizona, Arkansas, California, Colorado, Hawaii, Idaho, Kansas, Louisiana, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington, Wyoming, and the U.S. territories and possessions in the Pacific.</p>	<p>USNRC, Region IV 611 Ryan Plaza Drive Suite 400, Arlington, TX 76011.</p>	<p>(817) 860-8100, (FTS) 728-8100.</p>
<p style="text-align: center;">Region IV:</p> <p>Field Office</p>	<p>USNRC, Region IV Walnut Creek Field Office 1450 Maria Lane, Suite 300 Walnut Creed, CA 94596.</p>	<p>(510) 975-0200.</p>

Agreement States Points of Contact

Alabama	<p>Kirskey E. Whatley, Director Division of Radiation Control The Alabama Department of Public Health The RSA Tower, Suite 700 P.O. Box 303017 Montgomery, AL 36130-3017</p>	<p>PH (334) 206-5391 FX (334) 206-5387 INET: kwhatley@adph.state.al.us</p>
Arizona	<p>Aubrey V. Godwin, Director Arizona Radiation Regulatory Agency 4814 South 40th Street Phoenix, AZ 85040</p>	<p>PH (602) 255-4845 ext. 222 FX (602) 437-0705 INET: agodwin@arra.state.az.us</p>
Arkansas	<p>Jared W. Thompson, Program Leader Division of Radiation Control & Emergency Mgmt Department of Health Freeway Medical, Suite 100 5800 West 10th Street Little Rock, AR 72204-1755</p>	<p>PH (501) 661-2108 FX (501) 661-2468 INET: jwthompson@healthyarkansas.com</p>
California	<p>Edgar D. Bailey, C.H.P., Chief Radiologic Health Branch Food, Drugs & Radiation Safety Division State Department of Health Services P.O. Box 942732 Sacramento, CA 94234-7320</p>	<p>PH (916) 322-3482 FX (916) 324-3610 INET: ebailey@dhs.ca.gov</p>
Colorado	<p>Warren E. (Jake) Jacobi, Program Manager Laboratory & Radiation Services Division Colorado Department of Public Health & Environment 8100 Lowry Boulevard Denver, CO 80220-6928</p>	<p>PH (303) 692-3036 FX (303) 692-3692 INET: jake.jacobi@state.co.us</p>
Florida	<p>William A. Passetti, Chief Bureau of Radiation Control Florida Department of Health 4052 Bald Cypress Way, SE, Bin C21 Tallahassee, FL 32399-1741</p>	<p>PH (850) 245-4266 FX (850) 487-0435 INET: bill_passetti@doh.state.fl.us</p>

Agreement States Points of Contact

Georgia	<p>Thomas E. Hill, Manager Radioactive Materials Program Department of Natural Resources 4244 International Parkway, Suite 114 Atlanta, GA 30354</p>	<p>PH (404) 362-2675 FX (404) 362-2653 INET: thill@mail.dnr.state.ga.us</p>
Illinois	<p>Thomas W. Ortciger, Director Department of Nuclear Safety 1035 Outer Park Drive Springfield, IL 62704</p>	<p>PH (217) 785-9868 FX (217) 524-4724 INET: ortciger@idns.state.il.us</p>
Iowa	<p>Donald A. Flater, Chief Bureau of Radiological Health Iowa Department of Public Health Lucas State Office Building Des Moines, IA 50319</p>	<p>PH (515) 281-3478 FX (515) 725-0318 INET: dflater@health.state.ia.us</p>
Kansas	<p>Vick L. Cooper, Chief Radiation Control Program Kansas Department of Health & Environment Bureau of Air & Radiation Forbes Field, Building 283 Topeka, KS 66620</p>	<p>PH (785) 296-1561 FX (785) 296-0984 INET: vcooper@kdhe.state.ks.us</p>
Kentucky	<p>John A. Volpe, Ph.D., Manager Radiation & Toxic Agents Control Section Cabinet for Health Services 275 East Main Street Frankfort, KY 40621-0001</p>	<p>PH (502) 564-3700 FX (502) 564-6533 INET: john.volpe@mail.state.ky.us</p>
Louisiana	<p>Michael Henry, Program Director Department of Environmental Quality Office of Environmental Services Permits Division P.O. Box 82135 Baton Rouge, LA 70884-2135</p>	<p>PH (225) 765-0892 FX (225) 765-0222 INET: m_henry@deq.state.la.us</p>
Maine	<p>Jay Hyland, Acting Program Manager Radiation Control Program Division of Health Engineering 10 State House Station Augusta, ME 04333-0010</p>	<p>PH (207) 287-5698 FX (207) 287-4172 INET: jay.hyland@state.me.us</p>

Agreement States Points of Contact

<p>Maryland</p>	<p>Roland G. Fletcher, Manager Radiological Health Program Air and Radiation Management Administration Maryland Department of the Environment 2500 Broening Highway Baltimore, MD 21224</p>	<p>PH (410) 631-3300 FX (410) 631-3198 INET: rfletcher@mde.state.md.us</p>
<p>Massachusetts</p>	<p>Robert M. Hallisey, Director Radiation Control Program Department of Public Health 174 Portland Street, 5th Floor Boston, MA 02114</p>	<p>PH (617) 727-6214 FX (617) 727-2098 INET: Bob.hallisey@state.ma.us</p>
<p>Minnesota</p>	<p>Linda Bruemmer, Manager Section of Asbestos, Indoor Air, Lead and Radiation Division of Environmental Health Department of Health 121 E. Seventh Place, Suite 220 P.O. Box 64975 St. Paul, MN 55164-0975</p>	<p>PH (651) 215-0945 FX (651) 215-0975 INET: linda.bruemmer@state.mn.us</p>
<p>Mississippi</p>	<p>Robert W. Goff, Director Division of Radiological Health State Department of Health 3150 Lawson Street, P.O. Box 1700 Jackson, MS 39215-1700</p>	<p>PH (601) 987-6894 FX (601) 987-6887 INET: rgoff@msdh.state.ms.us</p>
<p>Nebraska</p>	<p>Dick Nelson, Director Department of Regulation and Licensure Nebraska Health and Human Services System P.O. Box 95007 Lincoln, NE 68509-5007</p>	<p>PH (402) 471-8566 FX (402) 471-9449 INET: bob.leopold@hhss.state.ne.us</p>
<p>Nevada</p>	<p>Stanley R. Marshall, Supervisor Radiological Health Section Health Division Department of Human Resources 1179 Fairview Drive, Suite 102 Carson City, NV 89701-5405</p>	<p>PH (775) 687-5394 ext. 276 FX (775) 687-5751 INET: smarshall@bhps.state.nv.us</p>

Agreement States Points of Contact

<p>New Hampshire</p>	<p>Diane E. Tefft, Administrator Radiological Health Bureau Division of Public Health Services Health and Welfare Building 6 Hazen Drive Concord, NH 03301-6527</p>	<p>PH (603) 271-4588 FX (603) 225-2325 INET: dtefft@dhhs.state.nh.us</p>
<p>New Mexico</p>	<p>William Floyd, Manager Radiation Control Bureau Field Operations Division Environment Department 1190 St. Francis Drive P.O. Box 26110 Santa Fe, NM 87502</p>	<p>PH (505) 476-3236 FX (505) 476-3232 INET: William_floyd@nmenv.state.nm.us</p>
<p>New York</p>	<p>Clayton Bradt, Principal Radiophysicist New York State Dept. of Labor Radiological Health Unit Building 12, Room 169 State Office Building Campus Albany, NY 12240</p>	<p>PH (518) 457-1202 FX (518) 485-7406 INET: usccjb@labor.state.ny.us</p>
	<p>John P. Spath, Director Radioactive Waste Policy and Nuclear Coordination New York State Energy Research & Development Authority Corporate Plaza West 286 Washington Avenue Extension Albany, NY 12203-6399</p>	<p>PH (518) 862-1090 ext.3302 FX (518) 862-1091 INET: jps@nyserda.org</p>
	<p>Paul J. Merges, Ph.D., Chief Bureau of Pesticides and Radiation Division of Solid and Hazardous Materials Department of Environmental Conservation 50 Wolf Road, Room 402 Albany, NY 12233-7255</p>	<p>PH (518) 485-8981 FX (518) 485-8390 INET: pmerges@gw.dec.state.ny.us</p>

Agreement States Points of Contact

New York <i>(continued)</i>	Karim Rimawi, Ph.D., Director Bureau of Environmental Radiation Protection New York State Department of Health Two University Place, Room 375 Albany, NY 12203	PH (518) 458-6461 FX (518) 458-6434 INET: kxrol@health.state.ny.us
	Gene Miskin, Director Bureau of Radiological Health New York City Department of Health Two Lafayette Street, 11th Floor New York, NY 10007	PH (212) 676-1556 FX (212) 676-1548 INET: gmiskin@health.nyc.gov
North Carolina	Beverly O. Hall, Acting Director Division of Radiation Protection Department of Environment & Natural Resources 3825 Barrett Drive Raleigh, NC 27609-7221	PH (919) 571-4141 FX (919) 571-4148 INET: beverly.hall@ncmail.net
North Dakota	Terry L. O'Clair, Director Division of Air Quality North Dakota Department of Health 1200 Missouri Avenue P.O. Box 5520 Bismarck, ND 58506-5520	PH (701) 328-5188 FX (701) 328-5200 INET: toclair@state.nd.us
Ohio	Roger L. Suppes, Chief Bureau of Radiation Protection Ohio Department of Health 35 East Chestnut Street Columbus, OH 43266	PH (614) 644-7860 FX (614) 466-0381 INET: rsupes@gw.odh.st.oh.us
Oklahoma	Mike Broderick, Environmental Program Administrator Radiation Management Section Oklahoma Department of Environmental Quality P.O. Box 1677 Oklahoma City, OK 73101-1677	PH (405) 702-5155 FX (405) 702-5101 INET: mike.broderick@deq.state.ok.us
Oregon	Terry D. Lindsey, Acting Manager Oregon Radiation Protection Services Section 800 N.E. Oregon Street, Suite 260 Portland, OR 97232	PH (503) 731-4014 ext. 660 FX (503) 731-4081 INET: terry.d.lindsey@state.or.us

Agreement States Points of Contact

<p>Pennsylvania</p>	<p>David Allard, CHP, Director Bureau of Radiation Protection Department of Environmental Protection Rachel Carson State Office Building P.O. Box 8469 Harrisburg, PA 17105-8469</p>	<p>PH (717) 787-2480 FX (717) 783-8965 INET: dallard@state.pa.us</p>
<p>Rhode Island</p>	<p>Marie Stoeckel, Chief Division of Occupational & Radiological Health Department of Health 3 Capitol Hill, Room 206 Providence, RI 02908-5097</p>	<p>PH (401) 222-2438 FX (401) 227-2456 INET: maries@doh.state.ri.us</p>
<p>South Carolina</p>	<p>T. Pearce O'Kelley, Chief Bureau of Radiological Health Department of Health & Environmental Control 2600 Bull Street Columbia, SC 29201</p>	<p>PH (803) 545-4400 FX (803) 545-4412 INET: okelletp@columb54.dhec.state.sc.us</p>
	<p>Henry Porter, Assistant Director Division of Waste Management Bureau of Land and Waste Management Department of Health & Environmental Control 2600 Bull Street Columbia, SC 29201</p>	<p>PH (803) 896-4245 FX (803) 896-4242 INET: porterhj@dhec.state.sc.us</p>
<p>Tennessee</p>	<p>L. Edward Nanney, Director Division of Radiological Health Tennessee Department of Environment and Conservation L&C Annex, Third Floor 401 Church Street Nashville, TN 37243-1532</p>	<p>PH (615) 532-0360 FX (615) 532-7938 INET: enanney@mail.state.tn.us</p>

Agreement States Points of Contact

Texas	Richard A. Ratliff, P.E., L.M.P. Chief Bureau of Radiation Control Texas Department of Health 1100 West 49th Street Austin, TX 78756-3189	PH (512) 834-6679 FX (512) 834-6708 INET: richard.ratliff@tdh.state.tx.us
	Susan Jablonski Health Physicist and Technical Advisor Office of Permitting, Remediation & Registration Texas Natural Resource Conservation Commission P.O. Box 13087, MS 122 Austin, TX 78711-3087	PH (512) 239-6731 FX (512) 239-5151 INET: sjablons@tnrcc.state.tx.us
Utah	William J. Sinclair, Director Division of Radiation Control Department of Environmental Quality 168 North 1950 West P.O. Box 144850 Salt Lake City, UT 84114-4850	PH (801) 536-4250 FX (801) 533-4097 INET: bsinclair@deq.state.ut.us
Washington	John L. Erickson, Director Division of Radiation Protection Department of Health Building #5 P.O. Box 47827 7171 Cleanwater Lane Olympia, WA 98504-7827	PH (360) 236-3210 FX (360) 235-2255 INET: john.erickson@doh.wa.gov
Wisconsin	Paul Schmidt, Manager Radiation Protection Unit Bureau of Public Health Department of Health and Family Services P.O. Box 309 Madison, WI 53701-0309	PH (608) 267-4792 FX (608) 267-4799 INET: schmips@dhfs.state.wi.us

Non-Agreement States Points of Contact

Alaska	<p>Clyde E. Pearce, Radiological Health Program Section of State Laboratories Department of Health and Social Services State of Alaska 4500 Boniface Parkway Anchorage, AK 99507-1270</p>	<p>PH (907) 334-2107 FX (907) 334-2162 INET: clyde_pearce@health.STATE.AK.US</p>
Connecticut	<p>Dr. Edward L. Wilds, Jr., Director Division of Radiation Department of Environmental Protection 79 Elm Street Hartford, CT 06106-5127</p>	<p>PH (860) 424-3029 FX (860) 424-4065 INET: edward.wilds@po.STATE.CT.US</p>
Delaware	<p>Robert Brinsfield, Program Administrator Office of Radiation Control Division of Public Health Plan Review, Permitting and Enforcement Federal and Water Streets, Room 224 P.O. Box 637 Dover, DE 19903</p>	<p>PH (302) 739-4731 FX (302) 739-3839</p>
District of Columbia	<p>Harold Monroe, Acting Program Manager for Food Department of Health Bureau of Food, Drug, and Radiation Protection (Bureau Chief) 51 N Street NE, Room 6025 Washington, DC 20002</p>	<p>PH (202) 535-2188 FX (202) 535-1359 INET: hmonroe@dchealth.com</p>
Hawaii	<p>Russell S. Takata, Program Manager, Noise, Radiation & IAQ Branch Department of Health 591 Ala Moana Boulevard Honolulu, HI 96813-4921</p>	<p>PH (808) 586-4700 FX (808) 586-5838 INET: rtakata@ehsdmail.health.state.hi.us</p>
Idaho	<p>Douglas Walker, Senior Health Physicist INEEL Oversight Program 900 N. Skyline, Suite C Idaho Falls, ID 83402</p>	<p>PH (208) 528-2617 FX (208) 528-2605 INET: dwalker@deq.state.id.us</p>

Non-Agreement States Points of Contact

Indiana	John H. Ruyack, Director Indoor & Radiologic Health Division State Department of Health 2 N. Meridian Street Indianapolis, IN 46204-3003	PH (317) 233-7146 FX (317) 233-7154 INET: jruyack@isdh.state.in.us
Michigan	David W. Minnaar, Chief Radiological Protection Section Drinking Water & Radiological Protection Division Michigan Department of Environmental Quality 3423 N. Martin Luther King Jr. Boulevard P.O. Box 30630 Lansing, MI 48909-8130	PH (517) 335-8204 FX (517) 335-8706 INET: minnaard@state.mi.us
Missouri	Daryl Roberts, Director Section for Environmental Public Health Division of Environmental Health & Communicable Disease Prevention P.O. Box 570 Jefferson City, MO 65102-0570	PH (573) 751-6102 FX (573) 526-6946 INET: roberd@mail.health.state.mo.us
Montana	Denzel C. Davis, Administrator Quality Assurance Division Department of Public Health & Human Services 2401 Colonial Drive P.O. Box 202953 Helena, MT 59602	PH (406) 444-5401 FX (406) 444-1970 INET: ddavis@state.mt.us
New Jersey	Jill Lipoti, Ph.D., Assistant Director Radiation Protection Programs Division of Environmental Safety, Health & Analytical Programs Department of Environmental Protection, P.O. Box 415 Trenton, NJ 08625-0415	PH (609) 984-5636 FX (609) 633-2210 INET: jlipoti@dep.state.nj.us
Puerto Rico	David Saldana, Director Radiological Health Division G.P.O. Call Box 70184 Rio Piedras, PR 00936	PH (787) 274-7815 FX (787) 274-6829 INET: dsaldana@gov.pr

Non-Agreement States Points of Contact

<p>South Dakota</p>	<p>John Robertson, Medical Facilities Engineer Office of Health Care Facility Licensure & Certification Systems Development and Regulations 615 East 4th Street Pierre, SD 57501-1700</p>	<p>PH (605) 773-3356 FX (605) 773-6667 INET: johnr@doh.state.sd.us</p>
<p>Vermont</p>	<p>Raymond N. McCandless, Director Division of Occupational & Radiological Health Department of Health 108 Cherry Street P.O. Box 70 Burlington, VT 05402</p>	<p>PH (802) 865-7730 FX (802) 865-7745 INET: rmccand@vdh.state.vt.us</p>
<p>Virginia</p>	<p>Leslie P. Foldesi, CHP, Director Radiological Health Programs Division of Health Hazards Control Department of Health Main Street Station 1500 East Main, Room 240 Richmond, VA 23219</p>	<p>PH (804) 786-5932 FX (804) 786-6979 INET: lfoldesi@vdh.state.va</p>
<p>West Virginia</p>	<p>Dan Hill, Chief Radiological Health Program 815 Quarrier Street - Suite 424 Charleston, WV 25301-2616</p>	
<p>Wyoming</p>	<p>David A. Finley, Administrator Solid & Hazardous Waste Division Department of Environmental Quality Herschler Building, 4W Cheyenne, WY 82002</p>	<p>PH (307) 777-7753 FX (307) 777-5973 INET: dfinle@state.wy.us</p>

TSI Incorporated – 500 Cardigan Road, Shoreview, MN 55126 U.S.A

USA	Tel: +1 800 874 2811	E-mail: particle@tsi.com	Website: www.tsi.com
UK	Tel: +44 149 4 459200	E-mail: tsiuk@tsi.com	Website: www.tsiinc.co.uk
France	Tel: +33 491 95 21 90	E-mail: tsifrance@tsi.com	Website: www.tsiinc.fr
Germany	Tel: +49 241 523030	E-mail: tsigmbh@tsi.com	Website: www.tsiinc.de
India	Tel: +91 80 41132470	E-mail: tsi-india@tsi.com	
China	Tel: +86 10 8260 1595	E-mail: tsibeijing@tsi.com	



TRUST. SCIENCE. INNOVATION.

Contact your local TSI Distributor or visit our website www.tsi.com for more detailed specifications.